

LMS Approved Projects
August 2007

Overall Rank	Managing Entity	Entity Rank	LMS Points	Project Name	Project Description	Total Project Cost	Status	Amount filed for grant	Match If Any	Funding Status
1	County/GB	1	36	Bay St. Sewer Extension	Extension of sewer lines along Bay St. in the Gulf Breeze area. This area floods often and is in a high density area. Sewer will decrease public health and environmental issues associated with flooding and allow a more managed growth as part of the County's recovery	\$ 750,000	Filed with HMGP	\$ 509,787	\$ 127,447	Denied, reallocated to 51
2	Jay	1	38	Wastewater Treatment Continuity of Operations	Upgrade and enhancement of the Town of Jay's wastewater treatment capacity. The system sustained major damage from Hurricane Ivan.	\$ 1,225,000	Filed with CDBG	\$ 787,891	\$ -	
3	County	2	29	Orion Lake Stormwater Improvement	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ 700,000	Filed with HMGP	\$ 704,105	\$ 176,026	approved, Phase 1 complete
4	County	3	31	Shutters and generators for Public Services, Public Works, South Santa Rosa Service Center, and Animal Services	Santa Rosa Co. buildings must be operational after any kind of disaster, with minimal downtime. Weather-related emergencies currently account for most events and loss of service from damaged buildings and loss of electricity decreases the effectiveness of County response services. Recommendation of the Long-Term Recovery Plan.	\$ 500,000	Filed with HMGP	\$ 82,524	\$ 20,631	approved, in progress
5	Milton	1	51	Firehouse	The existing Milton Fire House is old and in poor condition. The facility is inadequate to house the existing fire fighting equipment and fronts directly on Bruner Street. The structure is a two story building located in flood zone B with the first floor at grade. The facility was built in 1962 and consists of two back in apparatus bays. In the 70's and early 80's additions were made by members of the department adding a third bay, a shop and a second floor class room. The existing structure does not meet the newer codes established in recent years. This facility houses the entire operation of the City of Milton Fire Department. With the space limitations, both in land and building, storage of some operational equipment has been shifted to storage in a shed or outdoors.	\$ 3,000,000	pending funding source	\$ -	\$ -	
6	Milton	2	13	Keyser Street/Elva Street	The project includes the correction of stormwater problems (street flooding), undersized water service problems, inadequate fire protection, sanitary sewer problems and gas main upgrades. It is proposed to remove and replace the existing roadway, drainage and utilities with new infrastructure. Project includes new pavement, stormwater collection and treatment, potable water distribution, sanitary sewer collection and gas distribution. Potable water and fire protection improvements are proposed CDBG projects.	\$ 471,250	Filed with CDBG, work in progress, HMGP global match	\$ 471,250	\$ -	CDBG work in progress, HMGP approved

LMS Approved Projects
August 2007

Overall Rank	Managing Entity	Entity Rank	LMS Points	Project Name	Project Description	Total Project Cost	Status	Amount filed for grant	Match If Any	Funding Status
7	Gulf Breeze	1	28	Stormwater Project	Enhance the storm water conveyance system in several severely impacted areas to eliminate/reduce flooding of homes, property and streets. These areas experience serious flooding after heavy rain events.	\$ 1,500,000	filed with HMGP	\$ 1,500,000	\$ 375,000	approved
8	County	4	30	Greenbriar Subdivision Stormwater Improvement	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ 2,400,000	filed with HMGP	\$ 2,464,650	\$ 616,163	approved, in progress
9	Milton	3	42	Police Department Shutters	Provide storm shutters; replace 3 exterior doors with tempered glass hurricane coating; replace the conference room door with a steel door. This is an emergency staging building for city workers to respond to disasters within the Milton utility service area.	\$ 9,000	filed with HMGP	\$ 16,000	\$ 4,000	approved
10	County	5	28	County Auditorium Hardening	This facility is designated as a staging and coordination location after an event and needs hardening and internal enhancements to ensure it can optimally function.	\$ 625,000	filed with HMGP	\$ 24,262	\$ 6,066	work in progress
11	County	6	28	Harrison Ave Stormwater Improvement	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ 650,000	filed with HMGP	\$ 658,000	\$ 164,500	Phase 1 completed
12	County	7	26	County Administrative Building Hardening	This facility is designated as a staging and coordination location after an event and needs hardening and internal enhancements to ensure it can optimally function.	\$ 200,000	filed with HMGP	\$ 78,935	\$ 19,734	work in progress
13	Gulf Breeze	2	38	South Santa Rosa Recreation Center Exterior Strengthening	This facility is designated as a staging and coordination location after an event and needs hardening and internal enhancements to ensure it can optimally function.	\$ 400,000	filed with HMGP	\$ 400,000	\$ 100,000	denied
14	Jay	2	34	Water System Pump and Back Up System		\$ 375,000	filed with CDBG, work in progress	\$ 52,404	\$ -	work in progress
15	County	8	42	Navarre Beach Waste Water Treatment Plant – Lift Station Hardening	Navarre Beach experiences frequent flooding. Hardening and elevating the lift station will ensure the sewer system is able to function.	\$ 320,000	filed with HMGP	\$ 330,000	\$ 82,500	approved, work in progress
16	Gulf Breeze	3	36	City of GB Wastewater Sewer line extension	Extension of sewer lines to three areas of Gulf Breeze extensively impacted by flooding that causes environmental and public health issues after heavy rain events. Areas include Eufaula St., McLane and Beach Rds and Highpoint Dr., all near Pensacola Bay.	\$ 500,000	filed with CDBG, in progress	\$ 499,605	\$ -	work in progress

LMS Approved Projects
August 2007

Overall Rank	Managing Entity	Entity Rank	LMS Points	Project Name	Project Description	Total Project Cost	Status	Amount filed for grant	Match If Any	Funding Status
17	County/Milton	9A	23	Bagdad Sewer Extension - east of Forsyth	Extension of sewer lines along the Blackwater River side of Bagdad. This area floods often and has a moderate density of homes and businesses. Sewer will decrease public health and environmental issues associated with flooding and allow a more managed growth as part of the County's recovery. This is part of a larger project to upgrade the infrastructure in historic Bagdad to mitigate impacts from flooding.	\$ 600,000	filed with HMGP	\$ 742,950	\$ 185,738	Denied reallocated to 51
18	County/Milton	9B	23	Bagdad Sewer Extension - west of Forsyth	Extension of sewer lines along the western side of Bagdad. This area floods often and has a moderate density of homes and businesses. Sewer will decrease public health and environmental issues associated with flooding and allow a more managed growth as part of the County's recovery. This is part of a larger project to upgrade the infrastructure in historic Bagdad to mitigate impacts from flooding.	\$ 1,300,000	filed with CDBG, in progress, HMGP global match	\$ 1,500,000	n/a	work in progress; denied by FEMA as a global match
19	Jay	3	37	City Hall Facility Hardening	This facility is designated as a staging and coordination location after an event and needs hardening and internal enhancements to ensure it can optimally function.	\$ 170,000	filed with HMGP	\$ 125,000	\$ 31,250	withdrawn
20	County	10	29	Villa Venyce Flooding	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ 750,000	filed with HMGP	\$ 526,800	\$ 131,700	approved, Phase 1 in progress
21	Gulf Breeze	4	34	Emergency Operations Center	Building of an emergency operations center for the Town of Gulf Breeze.	\$ 4,500,000		\$ -	\$ -	
22	Milton	4	37	Patterson Town Sanitary Sewer	Remove existing vacuum sewer system and replace with a master lift station and gravity sanitary sewer collection system.	\$ 3,000,000	pending funding source	\$ -	\$ -	
23	County	11	28	East Milton Gymnasium Hardening	This facility is designated as a possible shelter and/or a staging and coordination location after an event and needs hardening and internal enhancements to ensure it can optimally function.	\$ 625,000	filed with HMGP	\$ 15,570	\$ 3,893	work completed
24	Milton	5	30	Public Works Building Hardening/Generator	Provide a natural gas powered electric generator and switching equipment to provide electric power during Gulf Power outages. This facility is an emergency staging building for city workers and may be used as a shelter for employee families during emergencies.	\$ 45,000	filed with CDBG, in progress	\$ 45,000	\$ -	work in progress
25	County	12	29	Ramblewood Flooding/Stormwater	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ 2,000,000	filed with HMGP	\$ 1,210,500	\$ 302,625	approved, Phase 1 in progress
26	Milton	6		Public Works Building Shutters	Addition of storm shutters for the City's Public Works Building. This facility is essential to the City's response after an event.	\$ 30,000	filed with CDBG, in progress	\$ 30,000	\$ -	work in progress

LMS Approved Projects
August 2007

Overall Rank	Managing Entity	Entity Rank	LMS Points	Project Name	Project Description	Total Project Cost	Status	Amount filed for grant	Match If Any	Funding Status
27	County	13	28	Santa Rosa County Extension Building Hardening	This facility is designated as a staging and coordination location after an event and needs hardening and internal enhancements to ensure it can optimally function.	\$ 300,000	filed with HMGP	\$ 28,927	\$ 7,232	work in progress
28	Milton	7	42	Sanitary Sewer Liftstations (15 liftstations - generators)	Provide emergency electrical power to operating liftstations during Gulf Power electrical outages. Lack of electric power allows lifts stations to fill & overflow creating a major health hazard. Health hazards of this type have subjected the city to FDEP fines and clean-up requirements. The liftstation pumps require electric power to operate, to mitigate the problem requires an alternate source of electrical power. Natural gas supplied to the generators at the liftstations would provide the alternate power source.	\$ 375,000	filed with CDBG, in progress	\$ 435,000	\$ -	work in progress
29	Jay	4	34	Community Center Hardening	This facility will be designated an at-risk shelter during and after an event and needs hardening and internal enhancements to ensure it can optimally function.	\$ 160,000	filed with CDBG, in progress	\$ 159,705	\$ -	work in progress
30	Milton	8	35	Water Well chlorine alarm (5 wells)	The City's 5 potable water wells have chlorine dispensing systems. Chlorine is considered a hazardous material and therefore the well sites are considered hazardous material sites. There are currently no alarm systems in place to alert City personnel or the surrounding population of a hazardous material spill from these sites. FDEP has noted this as an issue in its monitoring report. The installation of an alarm would reduce the potential health and safety dangers that currently exist.	\$ 12,000	filed with CDBG, in progress	\$ 15,000	\$ -	work in progress
31	County	14	24	Serosa Estates Sewer Extension & Pavement	Extension of sewer lines within Serosa Estates in the Holley By the Sea area. This area floods often and is in a high density area. Sewer will decrease public health and environmental issues associated with flooding and allow a more managed growth as part of the County's recovery. This is part of a larger project to upgrade the infrastructure in the Holley By the Sea/Navarre area to mitigate impacts from flooding.	\$ 2,500,000	filed with CDBG, in progress, HMGP global match, HMGP filed on new CDBG	\$ 1,549,905	\$ -	1st CDBG in progress, denied as global match, 2nd CDBG approved
32	Milton	9	36	Quick disconnects for city traffic signals	The City's 5 potable water wells have chlorine dispensing systems. Chlorine is considered a hazardous material and therefore the well sites are considered hazardous material sites. There are currently no alarm systems in place to alert City personnel or the surrounding population of a hazardous material spill from these sites. FDEP has noted this as an issue in its monitoring report. The installation of an alarm would reduce the potential health and safety dangers that currently exist.	\$ 65,000	filed with CDBG, in progress	\$ 65,000	\$ -	work in progress
33	Gulf Breeze	5	34	Pressure Sensitive Water Cutoff Valves	Purchase and implementation of pressure sensitive water cutoff valves to decrease contamination of water systems during flooding and hurricane events.	\$ 150,000	pending match dollars	\$ -	\$ -	

LMS Approved Projects
August 2007

Overall Rank	Managing Entity	Entity Rank	LMS Points	Project Name	Project Description	Total Project Cost	Status	Amount filed for grant	Match If Any	Funding Status
34	Milton	10	30	Byrom St. Potable Water Well & Hospital Well (generators & bldg repairs)	Provide natural gas powered generators and associated electrical system upgrades to operate the well pumps, lights and chemical feed equipment and both well sites. The hospital well also requires some building and fence repairs to insure site security. Byrom Street well estimate \$65,000; Hospital well estimate \$95,000.	\$ 160,000	filed with CDBG, in progress	\$ 160,000	\$ -	work in progress
35	Milton	11	29	Upgrade Water System for Fire Protection	There are many potable water lines within the City of Milton water service area that are of inadequate capacity to provide fire protection. In some places within the water system there is an inadequate number of fire hydrants for the heavily populated areas. This mitigation measure will include upgrading potable water lines to proper size for fire protection as well as adding the additional hydrants needed to provide adequate fire protection.	\$ 567,000	filed with CDBG, in progress	\$ 35,500	\$ -	work in progress
36	Milton	12	36	Sanders Street Upgrade	Construct a stormwater collection system to address problems at W. H. Rhodes Elementary school, Sanders Street Park and College Park Subdivision. Project to include replacement of all utilities, stormwater collection system, curbs & gutters, asphalt pavement and purchase of right-of-way.	\$ 1,300,000	filed with HMGP	\$ 451,000	\$ 112,750	in review
37	Jay	5	36	Fire Station Hardening (includes roof and communication)	This facility is designated as a staging and coordination location after an event and needs hardening and internal enhancements to ensure it can optimally function.	\$ 300,000	filed with HMGP	\$ 16,000	\$ 4,000	in review
38	Rebuild NW FL/County	15	33	Wind Retrofits	This is a partnership with Rebuild NW Florida to provide wind retrofits as part of their larger rebuild efforts for low to moderate income families. This will harden these homes and make them less vulnerable during the next weather event.	\$ 15,000,000	filed with HMGP	\$ 800,000	\$ 200,000	approved
39	Gulf Breeze	6	39	SSRUS/Fuel Tanks	Gulf Breeze experienced significant problems in obtaining fuel to run generators after Hurricane Ivan due to the precarious southern location between several closed highways and bridges. The addition of these fuel tanks at City Hall will provide increased fuel capacity during and after a storm event and lessen the reliance on transportation routes immediately after a storm.	\$ 45,000	filed with CDBG, in progress	\$ 45,000	\$ -	work in progress
40	County	16	29	Sabertooth Circle Stormwater	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ 500,000	filed with HMGP	\$ 473,705	\$ 118,426	Phase 1 work completed
41	Jay	6	30	Public Works Warehouse Facility Hardening and Preparedness	This facility is designated as a staging and coordination location after an event and needs hardening and internal enhancements to ensure it can optimally function.	\$ 160,000	pending funding source	\$ -	\$ -	

LMS Approved Projects
August 2007

Overall Rank	Managing Entity	Entity Rank	LMS Points	Project Name	Project Description	Total Project Cost	Status	Amount filed for grant	Match If Any	Funding Status
42	School District	1	23	Jay Elementary School At Risk Shelter	This facility is designated as a public at-risk shelter during and after an event and needs hardening and internal enhancements to ensure it can optimally function.	\$ 170,000	pending match dollars	\$ -	\$ -	
43	County	17	29	Ganges Trail/Madura Trail Flooding	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ 1,200,000	filed with HMGP	\$ 1,081,600	\$ 270,400	Phase 1 work completed
44	Milton	13		Berryhill Area Fire Protection (new water tank)		\$ 500,000	pending funding source	\$ -	\$ -	
45	Gulf Breeze	7	38	Fuel Tank	Gulf Breeze experienced significant problems in obtaining fuel to run generators after Hurricane Ivan due to the precarious southern location between several closed highways and bridges. The addition of these fuel tanks at Sewer Treatment Plant will provide increased fuel capacity during and after a storm event and lessen the reliance on transportation routes immediately after a storm.	\$ 55,000	filed with CDBG, in progress	\$ 50,000	\$ -	work in progress
46	Jay	7	21	Calfee Street Drainage	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ 300,000	pending funding source	\$ -	\$ -	
47	County/Milton	18A	26	Ward Basin Sewer Extension (north of I-10), south of Nimitz	Extension of sewer lines along Ward Basin Rd in the East Milton area. This area floods often and is in a moderate density area. Sewer will decrease public health and environmental issues associated with flooding and allow a more managed growth as part of the County's recovery. This is part of a larger project to upgrade the infrastructure in the Ward Basin area to mitigate impacts from flooding.	\$ 2,210,000	filed with HMGP	\$ 992,950	\$ 248,238	denied/allocation moved to 51
48	County/Milton	18B	26	Ward Basin Sewer Extension (north of I-10), 90 to Nimitz	Extension of sewer lines along Ward Basin Rd in the East Milton area. This area floods often and is in a moderate density area. Sewer will decrease public health and environmental issues associated with flooding and allow a more managed growth as part of the County's recovery. This is part of a larger project to upgrade the infrastructure in the Ward Basin area to mitigate impacts from flooding.	\$ 790,000	filed with CDBG, in progress, HMGP global match	\$ 999,500	\$ -	work in progress/denied by FEMA as a global match
49	Milton	14	14	East Milton Sewage Treatment	The new facility would enable the expansion of the existing sanitary sewer system and thereby eliminate the need for additional septic tanks. Existing septic tanks could be eliminated. Existing septic tanks are old and not working as designed. Systems that do not function properly discharge raw sewage into area rivers and bays causing a biohazard to area residents and animal life.	\$ 10,000,000	pending funding source	\$ -	\$ -	

LMS Approved Projects
August 2007

Overall Rank	Managing Entity	Entity Rank	LMS Points	Project Name	Project Description	Total Project Cost	Status	Amount filed for grant	Match If Any	Funding Status
50	Gulf Breeze	8	34	Backup Generators	Purchase of ten generators for backup of pump/life stations to ensure continuation of operations during and after a storm event.	\$ 400,000	filed with CDBG, in progress	\$ 400,000	\$ -	
51	County	19	29	Holley By the Sea Stormwater Study and Improvement Project	This area is continuously impacted by weather events, caused severe flooding and disruption. This will be a two phased project. A study is needed to determine how best to approach the flooding problem and then a significant part of the work needs to be accomplished in mitigating the flooding problems.	\$ 4,800,000	HMGP Tier III 05/06	\$ 4,893,170	\$ 1,223,293	Phase 1 approved at lower %, requested add'l funding under Tier II
52	County	20A	26	Holley-Navarre Sewer Extension	Extension of sewer lines in the Holley-Navarre area. This area floods often and is in a high density area. Sewer will decrease public health and environmental issues associated with flooding and allow a more managed growth as part of the County's recovery.	\$ 1,406,000	filed with HMGP	\$ 521,850	\$ 130,463	Denied, reallocated to 51
53	County	20B	26	Holley-Navarre Sewer Extension	Extension of sewer lines in the Holley-Navarre area. This area floods often and is in a high density area. Sewer will decrease public health and environmental issues associated with flooding and allow a more managed growth as part of the County's recovery.	\$ 450,000	filed with CDBG, in progress, HMGP global match	\$ 749,850	\$ -	in progress, denied as global match
54	Milton	15	28	Locklin Lake Dam Repair	The existing earthen dam has been damaged by previous storms. The dam structure has been weakened and the lake has been inundated with silt. The project proposes to repair the dam facility and spillway to control stormwater and dredge the lake to remove accumulated silt and restore the lake to a biologically stable facility.	\$ 1,250,000	filed with HMGP	\$ 700,000	\$ 175,000	in review
55	Gulf Breeze	9	35	Mobile Command Center	Purchase of a mobile command center for the town of Gulf Breeze to facilitate command and control during and after a major storm event.	\$ 350,000	pending funding source	\$ -	\$ -	
56	Milton	16	39	Generators for traffic signals	The project is to include 17 portable gasoline generators sufficient in capacity to operate traffic lights at controlled intersections. Intersections become dangerous during events that create power outages. The proposed generators will provide an alternate source of power to restore traffic signals during evacuation and recovery operations. This project needs to be coordinated with the Traffic Signal Quick Disconnect project.	\$ 65,000	pending funding source	\$ -	\$ -	
57	Milton	17	35	Comprehensive Stormwater Development Plan Update	Update and upgrade the existing 1990 Comprehensive Stormwater Development Plan to include annexed areas since 1990 and GPS Mapping of the System.	\$ 200,000	pending funding source	\$ -	\$ -	
58	County	21	26	Shuttering of at-risk homes in the County	An ongoing project to partner with residents and non-profits to install shutters on primary residences in coastal areas to decrease damages due to wind and debris	\$ 1,000,000	filed with HMGP	\$ 575,000	\$ 143,750	in progress

LMS Approved Projects
August 2007

Overall Rank	Managing Entity	Entity Rank	LMS Points	Project Name	Project Description	Total Project Cost	Status	Amount filed for grant	Match If Any	Funding Status
59	County	22	22	Chumuckla Community Center Shelter Retrofit	This is a new site chosen to be hardened to improve shelter capacity countywide		filed with HMGP Shelter grant	\$ -	\$ -	pending approval
60	County & Milton	23	10	Acquisition of Flood-prone structures throughout county	The County has indicated a willingness to entertain the purchase of property from homeowners should there be an interest.	\$ 2,000,000	pending funding source	\$ -	\$ -	\$ -
61	County	24	26	Ward Basin Rd S of US-90 Drainage	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ 5,000,000	filed with HMGP	\$ 5,520,550	\$ 1,380,138	in review, may be denied
62	School District	2	25	Sims Middle School Food Prep and Safety at Shelter	This facility is designated as a public at-risk shelter during and after an event and needs hardening and internal enhancements to ensure it can optimally function.	\$ 59,850	pending funding source	\$ -	\$ -	
63	County	25	20	Pace Community Center/Special Needs Shelter	Build a community center that would be designed as a special needs shelter for Santa Rosa County	2,000,000	pending funding source	\$ -	\$ -	
64	Jay	8	23	Alabama Street Flooding at Cemetery	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ 200,000	pending funding source	\$ -	\$ -	
65	County	26	28	Floridatown Seawall Project	This project would help protect the Floridatown area from massive flooding from the Escambia Bay during flooding events.	\$ 505,350	pending funding source			
66	County	27	37	EOC Modifications/Enlargement	Modifications and enhancements needed to improve useability and functionality of the EOC during operations.	\$ 2,214,800	pending funding source	\$ -	\$ -	
67	Gulf Breeze	10	30	Mast Arms	A recommendation of the Long-Term Recovery project, this will improve safety and efficient transportation after a large scale event.	\$ 300,000	pending funding source	\$ -	\$ -	
68	County	28	20	Norris Road Stormwater	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ 1,500,000	pending funding source	\$ -	\$ -	
69	County & Milton	29	25	Elevation of Flood-prone structures throughout county	Flooding is a serious concern in Santa Rosa Co. We are growing rapidly and are in an environmentally wet area and within the Gulf Coast hurricane routes. The County is reviewing the need for elevation and establishing criteria for inclusion of private homes in an elevation project.	depends on applications from residents	pending funding source	\$ -	\$ -	
70	BVPA	30	14	Non-profit shutters on Museum Complex	Place shutters on the windows on the three public-use buildings in the Bagdad Museum Complex	\$ 21,700	pending funding source	\$ -	\$ -	
71	County	31	22	Fidelis Community Center Shelter Retrofit	This is a new site chosen to be hardened to improve shelter capacity countywide	-	potential HMGP project	\$ -	\$ -	

LMS Approved Projects
August 2007

Overall Rank	Managing Entity	Entity Rank	LMS Points	Project Name	Project Description	Total Project Cost	Status	Amount filed for grant	Match If Any	Funding Status
72	Milton	18	30	Broad Street Drainage	This project has been on the Stormwater Committee agenda for many years. Replacing the undersized drainage pipe system to handle a 25-year storm event. This project will correct the flooding of streets and adjacent properties for storm events up to a 25-year storm.	\$ 300,000	pending funding source	\$ -	\$ -	
73	County	32	33	Install Mast Arms for wire-strung signals	A recommendation of the Long-Term Recovery project, this will improve safety and efficient transportation after a large scale event.	\$ 2,250,000	pending funding source	\$ -	\$ -	
74	Gulf Breeze	11	21	Police Impound Lot Cover	Purchase of an impound cover to protect criminal evidence during major storm events.	\$ 125,000	pending funding source	\$ -	\$ -	
75	County	33	22	Intersection of N and W Spencer Field Rd Flooding/Stormwater	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ 1,000,000	pending funding source	\$ -	\$ -	
76	County	34	28	Garcon Point Seawall Project	This project would help protect the Garcon Point Bridge, a critical evacuation and recovery route.	\$ 468,750	pending funding source	\$ -	\$ -	
77	Jay	9	21	Beck Avenue Drainage/Flooding	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ 300,000	pending funding source	\$ -	\$ -	
78	School District	3	23	Avalon Middle School Food Prep and Safety at Shelter	This facility is designated as a public at-risk shelter during and after an event and needs hardening and internal enhancements to ensure it can optimally function.	\$ 59,850	pending funding source	\$ -	\$ -	
79	Milton	19	17	Police Department Site Security	Provide hazard material response from Police Dept. and provide sufficient cones and barricades to limit access to the area.	\$ 51,750	pending funding source	\$ -	\$ -	
80	Gulf Breeze	12	32	Floodplain Roads/Soundview Trl, Deerpoint Rd, Chesapeake, Tall Pines	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ 820,000	pending funding source	\$ -	\$ -	
81	Jay	10	29	Natural Gas Line Replacement		\$ 775,000	pending funding source	\$ -	\$ -	
82	Milton	20	34	Russell Harber Landing Dirt Road	This roadway is less than 2 feet above the normal river elevation. During storm events the roadway is flooded and the dirt / clay road is washed into the river. While mitigation measures are proposed to occur during the park renovations, the 1300 L.F. dirt roadway will need to be eliminated.	\$ 100,000	pending funding source	\$ -	\$ -	
83	Milton	21	33	Alabama St./Collins Mill Creek Box Culvert	Improve the existing box culvert under Alabama Street to minimize local flooding along Alabama Street during heavy rain events.	\$ 300,000	pending funding source	\$ -	\$ -	

LMS Approved Projects
August 2007

Overall Rank	Managing Entity	Entity Rank	LMS Points	Project Name	Project Description	Total Project Cost	Status	Amount filed for grant	Match If Any	Funding Status
84	Gulf Breeze	13	36	Soundside Dr Wastewater Sewer Line Extension	Extension of sewer lines along Soundside Dr. in the Gulf Breeze area. This area floods often and is in a high density area. Sewer will decrease public health and environmental issues associated with flooding and allow a more managed growth as part of the County's recovery	\$ 1,400,000	pending funding source	\$ -	\$ -	
85	School District	4	25	S.S. Dixon Intermediate School Food Prep and Safety at Shelter	This facility is designated as a public at-risk shelter during and after an event and needs hardening and internal enhancements to ensure it can optimally function.	\$ 59,850	pending funding source	\$ -	\$ -	
86	Milton	22		Alabama St. Watershed – Drainage study & facility		\$ 300,000	pending funding source	\$ -	\$ -	
87	Jay	11	21	Spring Street Drainage	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ -	pending funding source	\$ -	\$ -	
88	County	35	58	Emergency Communications Microwave Equipment	Improve the reliability and effectiveness of communications during and after an event.	\$ 1,320,000	pending funding source	\$ -	\$ -	
89	Milton	23	20	Clayton Lane/Park Lane	Provide new storm drain pipe (existing is crushed), 1500 L.F. street paving, curb & gutter, and relocate utilities.	\$ 80,000	pending funding source	\$ -	\$ -	
90	County	36	36	Ranchette Square Sewer Extension	Extension of sewer lines in the Ranchette Square area of Gulf Breeze. This area floods often and is in a high density area. Sewer will decrease public health and environmental issues associated with flooding and allow a more managed growth as part of the County's recovery.	\$ 650,000	pending funding source	\$ -	\$ -	
91	Jay	12	21	Commerce Street Drainage	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ -	pending funding source	\$ -	\$ -	
92	County	37	22	Pea Ridge/Metron Estates/Keyser Stormwater	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ 500,000	pending funding source	\$ -	\$ -	
93	School District	5	23	Munson Elementary At Risk Shelter	This facility is designated as a public at-risk shelter during and after an event and needs hardening and internal enhancements to ensure it can optimally function.	\$ 20,300	pending funding source	\$ -	\$ -	
94	County	38	22	Chipper Lane Stormwater/Flooding	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ 300,000	pending funding source	\$ -	\$ -	

LMS Approved Projects
August 2007

Overall Rank	Managing Entity	Entity Rank	LMS Points	Project Name	Project Description	Total Project Cost	Status	Amount filed for grant	Match If Any	Funding Status
95	Milton	24	22	Combs Street/Henry Street	Construct new stormwater pipe system to provide positive drainage of stormwater runoff from large storm events (25 year +) which cause flooding of Canal Street, Combs Street and adjacent private property.	\$ 100,000	pending funding source	\$ -	\$ -	
96	Milton	25	22	Locklin Lake/Byrom Street Drainage	Armor the shoreline at Locklin Lake in the vicinity of the 54" diam. stormwater system discharge pipe which serves the Byrom Street watershed. The project will stop shoreline erosion and prevent silting of the lake and loss of private property in the area.	\$ 200,000	pending funding source	\$ -	\$ -	
97	County	39	22	Channing Woods Subdivision Flooding	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ 250,000	pending funding source	\$ -	\$ -	
98	Jay	13	21	Credit Union and SR 89 Flooding		\$ 100,000	pending funding source	\$ -	\$ -	
99	County	40	22	Pine Blossom Rd north of Country Squire to SR 89 Flooding	Enhance the storm water conveyance system to eliminate/reduce flooding of homes, property and streets. This area experiences serious flooding after heavy rain events.	\$ 1,000,000	pending funding source	\$ -	\$ -	
100	School	6	20	Berryhill Elementary School	This is a new site chosen to be hardened to improve shelter capacity countywide	\$ 50,000	pending funding source	\$ 12,500.00	\$ -	
101	County	41	25	Floridatown Sewer Line Extension	Extension of sewer lines in the Floridatown area. This area floods often and is in a moderate density area. Sewer will decrease public health and environmental issues associated with flooding and allow a more managed growth as part of the County's recovery.	\$ 1,000,000	filed with CDBG, in progress	\$ 1,000,000	\$ -	work in progress
102	Milton	26	23	Westwood & Easy Street Storm Drainage	The drainage ditch needs to be gravel bottom type and the asphalt pavement needs to be raised 6 inches to 1 foot and 200 L.F. of curbing needs to be replaced so that this area can drain to Westwood. Project will benefit 400 people and prevent flooding property in the area.	\$ 50,000	pending funding source	\$ -	\$ -	
103	Jay	14	3	Stormwater Master Plan		\$ -	pending funding source	\$ -	\$ -	
104	County	42	20	Pace Gymnasium/At-Risk Shelter	Build a gymnasium that would be designed as a general population at-risk shelter for Santa Rosa County	\$ 3,050,000	CBIRs request 06 session	\$ -	\$ -	
105	Bernath Place Homeowners Assn	43	26-Jan-00	Bernath Place bridge hardening	Harden only bridge into the neighborhood	\$ 200,000	pending funding source	\$ -	\$ -	

LMS Approved Projects
August 2007

Overall Rank	Managing Entity	Entity Rank	LMS Points	Project Name	Project Description	Total Project Cost	Status	Amount filed for grant	Match If Any	Funding Status
105	ARC	44	??	Hurricane Wind Damage/Flooding Hazard Mitigation through Community Disaster Education (Red Cross)		\$ 100,000	pending funding source	\$ -	\$ -	
106	Milton	27	20	East Grace Street Drainage	Construct a stormwater management system consisting of ditches, pipes and inlets to control stormwater runoff and eliminate erosion problems	\$ 100,000	pending funding source	\$ -	\$ -	
107	County	45	6	GIS Enhancements	Develop capacity to access large amounts of data in support of GIS, field collection capacity for damages to structures, and GIS layers of data on utilities, critical structures, etc.	\$ 290,002	pending funding source	\$ -	\$ -	
108	Milton	28	18	Conecuh Street Bridge Replacement	Replace the existing wooden bridge with a concrete structure	\$ 500,000	pending funding source	\$ -	\$ -	
109	County	46	13	Agricultural and Environmental Education Center Shelter Project	This is an additional site for a shelter in the northern part of the County when it becomes necessary to expand from the current established shelters.	\$ 220,000	pending funding source	\$ -	\$ -	
110	Milton	29	22	Police Department Communication	Provide communications capacity between vehicles and personnel - inter city and inter agency.	\$ 210,000	pending funding source	\$ -	\$ -	
111	Water District	1	26	LIDAR Topographic Cartography Project for Santa Rosa Co.		\$ 970,618	pending funding source	\$ -	\$ -	

Total ALL Jurisdictions

\$ 106,758,070.00

\$ 6,360,958.75